

1/9577

ac

LIBRARY
RECEIVED
★ NOV 8 1957 ★
U. S. Department of Agriculture

TUMBLE-BROOK RHODODENDRON NURSERY

17 SIMSBURY RD.

BLOOMFIELD, CONN.

A. F. Serbin
Tel. Jackson 3-1460

Mailing Address
17 Simsbury Rd.
West Hartford, Conn.

TUMBLE-BROOK - RHODODENDRON - NURSERY

RHODODENDRON - LINERS - (ready - May 1, 1958)

(ROOTED - CUTTINGS-) (multiples of 5 - only)

| <u>Hardiness</u> <u>Rating</u> | <u>Height</u> | <u>Parentage</u> | <u>Color</u> | <u>Season</u> |
|-----------------------------------|---------------|--|-----------------------------|---------------|
| Album Elegans | H-1 | M (Catawbianse Hyb.) | Pale mauve, fading to white | (m) \$.60 |
| Alice | H-3 | M (Griffithianum Hyb.) | Deep pink | (lm) .75 |
| America | H-1 | M (Parson's Grandiflora x(? Hyb.) | Red | (m) .75 |
| Antoon Van Welie | H-2 | M (Pink Pearl X Hardy Hyb.) | Carmine pink | (lm) .75 |
| Arthur Ivens | H-2 | D (Williamsianum X Houlstonii) | Pale Pink | (E) .50 |
| Atrosanguineum | H-2 | M (Catawb. Hyb.) | Bright Red | (l) .75 |
| Azor | H-4 | M (Griersonianum X Discolor) | Soft Salmon | (l) .80 |
| Bagshot Ruby | H-3 | M (?) | Blood Crimson | (lm) .75 |
| Blue Diamond | H-3 | D (Intrifast X Augustinii) | Blue | (l) .50 |
| Blue Peter | H-2 | M (?) | Pale Lavender Blue | (m) .80 |
| Blue Tit | H-3 | D (Impeditum X Augustini) | Blue | (l) .50 |
| Bow Bells | H-3 | D (Corona X Williamsianum) | Pink | (lm) .50 |
| Bouledeneige | H-1 | D (Caucasicum X Hardy Hyb.) | White | (l) .75 |
| BricaBrac | H-3 | D (Leucaspiis X Moupineuse) | White | (vl) .50 |
| Broughtoni Aureum | H-3 | M (Maximum X A. Ponticum) (Azaleadendron) | Yellow | (lm) .80 |
| Bulstrode Park | H-3 | M (Sefton X 41-D) | Dark Red | (m) .80 |
| Butterfly | H-3 | M (Campylocarpum X Mrs. Milner) | Yellow | (m) .75 |
| Caractacus | H-1 | M (Catawbienne Hybrid) | Purple Crimson | (l) .75 |

| <u>Hardiness</u> <u>Rating</u> | <u>Height</u> | <u>Parentage</u> | <u>Color</u> | <u>Season</u> |
|-----------------------------------|---------------|------------------|---|------------------------------|
| Carita var. Golden Dream | H-3 | M | (Naomi X Campylocarpum) | Golden Yellow (m) \$1.00 |
| Catawbiense Album | H-1 | L | (Catawb. Hybrid) | White (l) .60 |
| Catawbiense Boursalt | H-2 | M | (Catawb. Hybrid) | Rose Lilac (m) .75 |
| Catawbiense Grandiflora | H-1 | L | (Catawb. Hybrid) | Rose Purple (lm) .60 |
| Catherine Van Tol | H-2 | L | (Catawb. Hybrid) | Rose Carmine (l) .80 |
| Cetewayo | H-3 | M | (?) | Purple (m) .80 |
| Charles Bagley | H-2 | M | (Catawb. Hybrid) | Rose Red (m) .75 |
| Charles Dickens | H-2 | L | (Catawb. Hybrid) | Crimson (m) .75 |
| China | H-3 | L | (Wightii X Fortunei) | Light Yellow (m) 1.00 |
| Corona | H-3 | M | (Griffithianum Hybrid) | Coral Pink (m) .90 |
| Countess of Athlone | H-3 | M | (Catawbiense Grandiflora X Geoffrey Millais) | Frilled Mauve Flower (m) .90 |
| Crimson Glory | H-3 | L | (?) | Deep Crimson (m) .75 |
| Cynthia | H-3 | M | (Catawbiense X Griffithianum) | Rosy Crimson (lm) .75 |
| Cunningham's White | H-2 | M | (Maximum X Cinnamomeum) | White (l) .75 |
| David | H-3 | M | (Hugh Koster X Neriiflorum) | Blood red (m) .80 |
| Delicatissimum | H-2 | M | (?) | White-Pink Edge (m) .75 |
| Devonshire Cream | H-3 | D | (Campylocarpum Hybrid) | Pale Yellow (m) .80 |
| Dexter's Discolor Hybrid | H-2 | M | (?) | Pink (lm) .75 |
| Dexter's Gloxineum (discolor) | H-2 | M | (?) | Pink (lm) .75 |
| Dexter's Fortunei Hybrid | H-2 | M | (?) | White Pink (lm) .75 |

| <u>Hardiness</u> <u>Rating</u> | <u>Height</u> | <u>Parentage</u> | <u>Color</u> | <u>Season</u> |
|-----------------------------------|---------------|------------------|--------------------------|---------------|
| Dexter's Haematodes Hybrid | H-2 or 3 | M | Red to Pink | (lm) \$.75 |
| Dr. Dresselhius | H-2 | M | Aniline Red | (1) .75 |
| El Alamein | H-3 | M | Crimson | (m) .90 |
| Elizabeth | H-4 | D | Light Blood Red | (m) .80 |
| English Roseum | H-2 | D | Rose Lilac | (m) .60 |
| E. S. Rand | H-2 | M | Red Yellow Eye | (m) .75 |
| Everestianum | H-1 | M | Rose Lilac | (m) .75 |
| Fabia | H-4 | D | Orange Salmon | (lm) .75 |
| Fabia var. Tangerine | H-4 | D | Orange | (lm) .75 |
| Fabia var. Exbury | H-4 | D | Light Orange Salmon | (lm) .75 |
| Fabia var. Tower Court | H-4 | D | Light Orange | (lm) .75 |
| Fabia var. Roman Pottery | H-4 | D | Brick-orange | (lm) .75 |
| Fastuosum Flore Pleno | H-1 | M | Double Mauve | (m) .75 |
| F. C. Puddle | H-4 | M | Bright Red | (m) .80 |
| F. D. Godman | H-2 | M | Dark Red | (m) .75 |
| Furnival's Daughter | H-3 | M | Light Pink | (lm) 1.25 |
| Gen. D. D. Eisenhower | H-2 | L | Bright Red | 1.00 |
| Giganteum | H-2 | M | Light Crimson | (m) .60 |
| Goldfort | H-3 | M | Creamy Yellow | (m) 1.00 |
| Goldsworth Pink | H-3 | M | Clear Pink | (m) .90 |
| Goldsworth Yellow | H-2 - 3 | M | Light Yellow to Primrose | (m) .90 |

| <u>Hardiness</u> <u>Rating</u> | <u>Height</u> | <u>Parentage</u> | <u>Color</u> | <u>Season</u> |
|-----------------------------------|---------------|------------------|---------------------------------|-----------------|
| Goldsworth Orange | H-3 | D | (Dichroanthum X Discolor) | Pale Orange |
| Gomer Waterer | H-2 | L | (?) | White |
| Graf Zeppelin | H-3 | M | (?) | Soft Pink |
| Hummingbird | H-4 | D | (Hematodes X Williamsianum) | Pink Vermillion |
| Idealist | H-3 | M | (Wardii X Naomi) | Pale Yellow |
| Ightham Yellow | H-3 | M | (Wardii X Decorum) | Good Yellow |
| Ignatius Sargent | H-1 | M | (Catawbiense Hybrid) | Rose |
| Impeanum | H-3 | D | (Impeditum X Hanceanum) | Lilac |
| Jacksoni | H-2 | D | (Caucasicum X Nobleanum) | Rosy-Pink |
| Jan Dekens | H-3 | M | (Griffithianum Hybrid) | Pink |
| Jaipur var. Pimento | H-3 | D | (Repens X Meddianum) | Deep Crimson |
| Jock | H-3 | D | (Williamsianum X Griersonianum) | Rose Pink |
| John Walter | H-2 | M | (Arboreum X Catawbiense) | Crimson |
| Ketteldrum | H-1 | M | (Catawbiense Hybrid) | Bright Red |
| Kluis Sensation | H-3 | M | (?) | Bright Red |
| Koster's Cream | H-3 | M | (?) | Cream Yellow |
| Lady Bessborough | H-3 | M | (Discolor X Campylocarpum) | Salmon Pink |
| var. Roberte | | | | |
| Lady Bligh | H-3 | M | (Griffithianum Hybrid) | Strawberry Red |
| Lady Chamberlain | H-4 | M | (Roylei X Royal Flush) | Crimson Orange |
| var. Cleam | | | | |

| <u>Hardiness</u> <u>Rating</u> | <u>Height</u> | <u>Parentage</u> | <u>Color</u> | <u>Season</u> |
|-----------------------------------|---------------|------------------|------------------------------------|----------------------|
| Lady Chamberlain | H-4 | M | (Roylei X Royal Flush) | Orange - Salmon |
| var. F.C.C. | | | | (m) \$.80 |
| Lady Chamberlain | H-4 | M | (Roylei X Royal Flush) | Orange Pink |
| var. Chelsea | | | | (m) .80 |
| Lady Clermont | H-2 | M | (Catawbiense Hybrid) | light red |
| Lady C. Mitford | H-2 | M | (?) | Peach Pink |
| Lavender Girl | H-3 | M | (Fortunei X Lady Greg Egerton) | Pale Lavender |
| Lees Dark Purple | H-1 | M | (Catawbiense Hybrid) | Purple |
| Letty Edwards | H-3 | M | (Campylocarpum Elatum X Fortunei) | Pale Yellow |
| Loder's White | H-4 | L | (Griffithianum X Fortunei) | White |
| Mad. Carvalho | H-2 | M | (Caucasicum Hybrid) | White Green Spot |
| Margaret Dunn | H-3 | M | (Discolor X Fabia) | Deep Yellow |
| var. Golden Belle | | | | (l) 1.00 |
| Mars | H-2 to 3 | M | (Griffithianum Hybrid) | Deep Red |
| May Day | H-3 | D | (Hematodes X Griersonianum) | Bright Crimson |
| Moonstone | H-3 | D | (Campylocarpum X Williamsianum) | Creamy Pink |
| Mother of Pearl | H-4 | M | (Sport of Pink Pearl) | Snow White |
| Mrs. Arthur Fawcus (Knap-Hill) | H-2 | M | (?) | Pale Cream |
| new | | | | (lm) .90 |
| Mrs. A. T. de la Mare | H-3 | M | (White Pearl X Sir Charles Butler) | White-Green Spot |
| Mrs. C. S. Sargent | H-1 | M | (Catawbiense Hybrid) | Rose Red Yellow Spot |
| Mrs. Furnival | H-3 | M | (Griffithianum Hybrid) | Light Pink |
| | | | | (lm) .80 |

| <u>Hardiness</u> <u>Rating</u> | <u>Height</u> | <u>Parentage</u> | <u>Color</u> | <u>Season</u> |
|-----------------------------------|---------------|--|--------------------|---------------|
| Mrs. J. G. Millais | H-3 | M (?) | White Yellow Eye | (lm) \$.80 |
| Mrs. Lindsay Smith | H-3 | M (George Hardy X Duchess of Edinburgh) | White | (lm) .80 |
| Mrs. P. den Ouden | H-2 | M (Atrosanguineum X Doncaster) | Deep Red | (m) .80 |
| Mrs. W. C. Slocock | H-3 | M (Campylocarpum Hybrid) | Apricot Pink | (m) .80 |
| Nereid | H-3 | D (Neriiflorum X Dichroanthum) | Orange Pink | (lm) 1.00 |
| Nova Zembla | H-2 | M (?) | Aniline Red | (lm) .90 |
| Old Port | H-1 | M (Catawbiense Hybrid) | Plum Red | (lm) .75 |
| Parson's Gloriosum | H-1 | M (Catawbiense Hybrid) | Rose | (lm) .75 |
| Parson's Grandiflorum | H-1 | L (Catawbiense Hybrid) | Purplish Rose | (m) .60 |
| Pearce's American Beauty | H-2 | M (?) | Rose Pink | (m) .90 |
| Pearce's Golden Jubilee | H-2 | M (?) | Apricot (fragrant) | (m) .90 |
| Pink Pearl | H-3 | M (George Hardy X Broughtoni) | Excellent Pink | (m) .80 |
| President Lincoln | H-2 | M (Catawbiense Hybrid) | Lilac | (m) .75 |
| Princess Elizabeth | H-3 | L (?) | Deep Crimson | (lm) .80 |
| Prof. G. H. Zaaier | H-3 | M (?) | Bright Light Red | (lm) .80 |
| Prometheus | H-1 | M (Catawbiense Hybrid) | Rose-Red | (lm) .75 |
| Purple Splendour | H-2 | M (?) | Deep Purple | (lm) .80 |
| Purpureum Elegans | H-1 | L (Catawbiense Hybrid) | Purple | (lm) .75 |
| Queen Mary | H-2 | M (?) | Deep Purple | (l) .90 |
| Racil | H-3 | D (Racemosum X Ciliatum) | Shell Pink | (l) .50 |
| Rainbow | H-3 | M (Fortunei Hybrid) | Cerise | (m) .80 |

Hardiness

| | <u>Rating</u> | <u>Height</u> | <u>Parentage</u> | <u>Color</u> | <u>Season</u> |
|---------------------|---------------|---------------|---|------------------|---------------|
| Red Star | H-3 | M | (Ascot Brilliant X Thomsonii) | Brilliant Red | (m) \$.80 |
| Rosa Mundi | H-3 | D | (Caucasicum X Nobleanum) | Pale Pink | (vl) .80 |
| Roseum Elegans | H-1 | M | (Catawbiense Hybrid) | Rose Pink | (lm) .60 |
| Rubens | H-2 | D | (?) | Rich Deep Red | (lm) .80 |
| Sappho | H-3 | M | (?) | White-Black Spot | (m) .80 |
| Spitfire | H-3 | M | (?) | Bright Red | (l) .90 |
| Sweet Simplicity | H-2 | M | (Ponticum Hybrid) | White Pink Edge | (lm) .80 |
| Unique | H-3 | D | (Campylocarpum Hybrid) | Pale Yellow | (lm) .75 |
| Van Weerdan Poelman | H-2 | L | (?) | Deep Crimson | (lm) .80 |
| Vulcan | H-3 | M | (Mars Griersonianum) | Brick Red | (lm) .80 |
| Xmas Cheer | H-2 | D | (?) | Blush Pink | (vl) .80 |
| Zuider Zee | H-4 | M | (Mrs. Lindsay Smith X Campylocarpum) | Lemon Yellow | (lm) .80 |

Rhododendron Species (Seedlings)

Please Order Multiples Of 5 For All Seedlings

| | Size | Each | | Size | Each |
|--------------------------------|-------|------|----------------------|-------|------|
| Alutaceum..... | 1-2" | .20 | Crinigerum..... | 1-2" | .15 |
| Arboreum (Pink)..... | 3-5" | .30 | Cyclium..... | 2-5" | .35 |
| | 8-10" | .50 | Dalhousiae..... | 3-4" | .30 |
| Arizelum..... | 1" | .15 | Davidii..... | 2-5" | .35 |
| Aucklandii..... | 4-8" | .50 | Decorum..... | 1-2" | .15 |
| Auriculatum..... | 2" | .20 | | 2-4" | .25 |
| Baileyi..... | 2-5" | .30 | | 4-5" | .35 |
| Barbatum..... | 2-4" | .25 | Deleense..... | 3-5" | .35 |
| Basilicum..... | 3-4" | .35 | Diaprepes..... | 2-4" | .30 |
| Beanianum..... | 1-2" | .15 | | 5-8" | .50 |
| Brachyanthum..... | 3-5" | .30 | Falconeri..... | 1-2" | .15 |
| Brachycarpum..... | 2-4" | .30 | | 2-4" | .25 |
| | 4-6" | .40 | Fictolacteum..... | 1-2" | .20 |
| Caerulum..... | 2-4" | .30 | Fulgens..... | 1-2" | .20 |
| Calophytum..... | 2-4" | .30 | Fulvum..... | 2-3" | .25 |
| Californicum..... | 2-3" | .25 | Glaucum..... | 1-2" | .15 |
| Camelliflorum..... | 2-4" | .20 | Gliscrum..... | 2" | .25 |
| Campanulatum..... | 2-3" | .20 | | 4-5" | .40 |
| Campbelliae..... | 1-2" | .15 | Goldsworth-Pink..... | 2-4" | .25 |
| | 2-4" | .25 | Grande..... | 2-4" | .20 |
| Campylocarpum..... | 2-3" | .25 | | 4-8" | .50 |
| Canadense..... | 4-5" | .35 | Griffithianum..... | 3-5" | .25 |
| Cantabile..... | 2-3" | .25 | | 8-10" | .50 |
| Carolinianum..... | 8-12" | .50 | Haematodes..... | 2-4" | .25 |
| Caucasicum..... | 2-3" | .25 | Hippophaeoides..... | 2-4" | .20 |
| Catawbiense Compactum..... | 2-4" | .20 | | 4-5" | .35 |
| Catawbiense Hardy Hybrids..... | 2-4" | .20 | Houlstonii..... | 2-4" | .30 |
| (80% reds)..... | 4-6" | .30 | Lanatum..... | 1-2" | .15 |
| | 6-8" | .40 | Macabeanum..... | 1-2" | .15 |
| 25% off in 100 lots | 1-2" | .15 | | 3-5" | .40 |
| Ciliatum..... | 2-4" | .25 | Maddenii..... | 2-4" | .30 |
| | 2-4" | .25 | Metternichii..... | 1-2" | .15 |
| Cinnibarinum..... | 2-4" | .25 | Oreotrepes..... | 2-4" | .30 |
| | 4-8" | .50 | Polylepsis..... | 2-4" | .30 |
| Concatenans..... | 2-3" | .30 | Ponticum..... | 2-4" | .20 |

Rhododendron Species (Seedlings) (cont.)

| | <u>Size</u> | <u>Each</u> |
|-------------------|-------------|-------------|
| Praevernum..... | 1-2" | .15 |
| Pruniflorum..... | 1-2" | .15 |
| Pubescens..... | 3-5" | .25 |
| Racemosum..... | 2-4" | .25 |
| | 4-6" | .35 |
| Ravum..... | 1" | .20 |
| Rupicola..... | 2-3" | .25 |
| Smirnowi..... | 1-2" | .15 |
| | 2-4" | .30 |
| Souleii..... | 1-2" | .15 |
| | 2-3" | .25 |
| Sutchuenense..... | 1-3" | .25 |
| Stewartianum..... | 2-3" | .30 |
| Sylvaticum..... | 1-2" | .20 |
| Tephropeplum..... | 2-3" | .25 |
| Triflorum..... | 3-5" | .30 |
| Ungerni..... | 1-2" | .20 |
| | 2-4" | .30 |
| Vernicosum..... | 2-3" | .25 |
| Wardii..... | 1-2" | .15 |
| | 2-4" | .30 |
| Yunnanense..... | 2" | .20 |

Azalea Seedlings

| | <u>Size</u> | <u>Cost</u> |
|-----------------------|-------------|-------------|
| Altaclarensis..... | 2-4" | .15 |
| Anthopogon..... | 2-4" | .25 |
| Embley Hybrids..... | 2-4" | .25 |
| Exbury Hybrids..... | 2-4" | .30 |
| | 4-6" | .40 |
| Gables Elizabeth..... | 6-10" | .75 |
| Ghent Hybrids..... | 2-4" | .30 |
| Hinodegiri..... | 1-2" | .15 |
| | 2-4" | .25 |
| | 4-8" | .50 |
| Luteum..... | 1-2" | .15 |
| | 2-4" | .25 |
| | 4-8" | .40 |
| Mollis..... | 2-3" | .15 |
| Mollis Hybrids..... | 6-10" | .50 |
| | 10-12" | .75 |
| Mucronulatum..... | 2-3" | .15 |
| Pontica..... | 2-4" | .20 |
| Poukhanensis..... | 2-3" | .20 |
| | 4-8" | .40 |
| Quinquefolia..... | 2-4" | .25 |
| | 4-6" | .35 |
| Reticulata..... | 4-8" | .50 |
| | 8-12" | .75 |
| Sanders Hybrids..... | 2-4" | .20 |
| | 4-6" | .35 |
| | 8-10" | .60 |
| Schlippenbachii..... | 2-4" | .25 |
| | 4-5" | .35 |
| Vaseyi..... | 1-2" | .15 |

Rhododendron Hybrid Seedlings

| | <u>Size</u> | <u>Cost</u> |
|-----------------------------|-------------|-------------|
| A. R. Bide..... | 3-5" | .30 |
| Ascot Brilliant..... | 2-4" | .20 |
| Britannia..... | 2-4" | .25 |
| | 3-6" | .50 |
| Carmania..... | 5-8" | .60 |
| Dexter's Discolor Hyb..... | 2-4" | .30 |
| Dexter Hybrids (mixed) | 2-4" | .25 |
| Discolor Hybrids (Slococks) | 5-8" | .50 |
| Doncaster..... | 2-3" | .30 |
| Fortunei Hybrids..... | 2-4" | .25 |
| | 4-6" | .50 |
| | 6-8" | .75 |
| Hardy Hybrids (Mixed) | 2-4" | .20 |
| about 75% red..... | 4-6" | .30 |
| | 6-8" | .50 |
| 25% off 100 rate | | |
| 33-1/3% off 1000 rate | | |
| Jean..... | 3-5" | .30 |
| | 5-8" | .40 |
| | 10-15" | .75 |
| Jersey Cream..... | 2-4" | .30 |
| Knap Hill Hybrids..... | 2-4" | .30 |
| | 4-6" | .40 |
| Loderi (Yellow)..... | 3-4" | .50 |
| Loderi (White)..... | 2-4" | .35 |
| Loderi (White)..... | 4-10" | .60 |
| Madide Bruin..... | 2-4" | .30 |
| Meg Merrilles..... | 2-4" | .30 |
| Smirnoui Hardy Hybrids..... | 1-2" | .15 |
| | 2-4" | .30 |
| Souldis..... | 2-4" | .30 |
| Williamsianum Hybrids..... | 2-4" | .30 |
| | 4-5" | .40 |

